

L Number	Hits	Search Text	DB	Time stamp
1	0	(600/\$.cccls. or 607/\$.cccls. or 128/\$.cccls.) and (implant\$ or implantable\$ or implanted\$) and (FES) and (sensor\$) and ((high adj frequency) same (low adj frequency))	USPAT	2002/09/19 12:01
2	88	(600/\$.cccls. or 607/\$.cccls. or 128/\$.cccls.) and (implant\$ or implantable\$ or implanted\$) and (stimulator\$) and (sensor\$) and ((high adj frequency) same (low adj frequency))	USPAT	2002/09/19 12:05
-	260	(600/\$.cccls. or 607/\$.cccls. or 128/\$.cccls.) and (implantable\$ or implanted\$) and ((spectral\$ or spectra\$) same (energy\$ or analysis\$))	USPAT	2002/09/13 15:59
-	112	(600/\$.cccls. or 607/\$.cccls. or 128/\$.cccls.) and (implantable\$ or implanted\$) and ((spectral\$ or spectra\$) same (energy\$))	USPAT	2002/09/13 16:42
-	241	(600/\$.cccls. or 607/\$.cccls. or 128/\$.cccls.) and (implantable\$ or implanted\$) and ((spectral\$ or spectra\$ or spectrum\$) same (energy\$))	USPAT	2002/09/13 17:06
-	129	((600/\$.cccls. or 607/\$.cccls. or 128/\$.cccls.) and (implantable\$ or implanted\$) and ((spectral\$ or spectra\$ or spectrum\$) same (energy\$))) not ((600/\$.cccls. or 607/\$.cccls. or 128/\$.cccls.) and (implantable\$ or implanted\$) and ((spectral\$ or spectra\$) same (energy\$)))	USPAT	2002/09/13 17:06